

Vaccine Screening Form

Instructions: By checking a box below, I am indicating that I have screened this patient and he/she is eligible to receive the marked vaccine.

Section 1: Zoster (Shingles) – Zostavax

- The patient is ≥ 60 years old **AND** has not received Zostavax at any point in the past.

Section 2: Influenza (Flu) – Fluzone (Trivalent), Fluvirin (Trivalent), Flulaval (Quadrivalent), Fluzone HD (High Dose)

- The patient has not had the 2015-2016 influenza vaccine **AND** is ≥ 14 YO

Section 3: Pneumococcal Conjugate – Prevnar13 (PCV13)

The patient has never received Prevnar13 (PCV13) **AND** any one of the following:

- ≥ 65 years old.
- 18-64 years old **AND** has one of the following conditions:
 - congenital/acquired immunodeficiency (including B-,T-lymphocyte, or complement deficiencies, phagocytic disorders).
 - leukemia, lymphoma, Hodgkin's disease, generalized cancer, multiple myeloma.
 - HIV infection.
 - chronic renal failure, nephrotic syndrome, or solid organ transplant.
 - iatrogenic immunosuppression (including long-term corticosteroids and radiation therapy).
 - anatomical or functional asplenia.
 - cerebrospinal fluid leak.
 - cochlear implant.

Section 4: Pneumococcal Polysaccharide – Pneumovax23 (PPSV23)

The patient is:

- ≥ 65 years old **AND** one of the following:
 - has never received Pneumovax23 (PPSV23) **AND** has received Prevnar13 (PCV13) ≥ 1 year ago.
 - received Pneumovax23 (PPSV23) when they were < 65 YO **AND** it has been ≥ 5 years since the previous PPSV23 dose.
- 18-64 years old **AND** has a high risk medical condition:
 - chronic heart condition (chronic heart failure or cardiomyopathies, excluding hypertension).
 - diabetes.
 - chronic lung disease (COPD, emphysema, asthma).
 - alcoholism.
 - chronic liver disease (cirrhosis).
 - immunocompromising conditions (HIV, long-term steroids, chronic renal failure).
 - smokes cigarettes.
 - anatomical or functional asplenia.

Section 5: Tetanus – Boostrix (Tdap) or Tenivac (Td)

The patient is ≥ 18 years old **AND** any one of the following:

- pregnant.
- has not received the Tdap vaccine.
- received Tdap ≥ 10 years ago.
- it is unknown if they have received Tdap.

Section 6: Hepatitis B (Engerix-B)

The patient is ≥ 18 years old **AND** any one of the following:

- has not received the hepatitis B series or did not receive the full hepatitis B series.
- is at high risk for acquiring the infection (i.e. diabetes, healthcare professional, household contacts with HBV, end-stage renal disease, kidney dialysis, HIV, chronic liver disease, seeking/receiving STD treatment).

Section 7: Meningococcal – Menactra

The patient is 18-21 years old **AND** any one of the following:

- has no previous meningococcal vaccination.
- has not received a dose of meningococcal vaccine after their 16th birthday and requires catch up vaccination.
- is a first year college student who lives in a dorm or plans to live in a dorm.
- ≥ 18 YO **AND** plans to travel to an area of the world where meningococcal disease is common.

Created by Laura A. Rhodes, PharmD, Moose Pharmacy of Concord

Rhodes, L. A., Branham, A. R., Dalton, E. E., Moose, J. S., & Marciniak, M. W. (2017). Implementation of a vaccine screening program at an independent community pharmacy. *Journal of the American Pharmacists Association*, 57(2), 222-228.